



## **Smooth feed alley – healthy animals**



**Perfect for  
doing-it-yourself**

## Why is hygiene on the feed alley that important?

The feed alley is under extreme stress because of the silo acids – daily. The continuous damaging causes rifts and wholes in which the fodder sticks. This rest hosts instantly lots of germs, bacteria and parasites.

To save the health of the animals by the consumption of those pathogens a coating of new feed alleys or a renovation of a worn out surface is absolutely necessary.

With **Desical® agroCoating** one of the main infection routes can be removed.




With their sensible tongues cows are licking hundreds of times a day over the surface of the feed alley.

Smear layers are built in rifts and wholes. These are perfect living conditions for germs.



**New feed alleys to be coated.  
Worn out ones to be renovated ...**

we have a practical  
**„do-it-yourself“**-solution for  
every situation!



**For each feed alley the optimal coating**

... it's also suitable for a sectional  
renovation in an utilised stable.

# DESICAL<sup>®</sup> agroCoating PowerGrip

Transparent two component reactive polymer  
based on epoxy resin

## The primer for each case

- ➔ provides perfect fitting for following epoxy resin coating
- ➔ easy application – reliable performance
- ➔ transparent epoxy resin for all surfaces on the floor and wall

**A smooth feed alley needs  
a solid basis!**



# DESICAL<sup>®</sup> agroCoating easyFill

mineral compound with epoxy resin binder

## The basic renovation for very worn out areas

- ➔ fills reliable deep unevennesses
- ➔ easy processing
- ➔ twice as resilient as concrete



quick and easy  
to combine with PowerGrip  
and Basic

# DESICAL<sup>®</sup> agroCoating Basic

Prefilled, pigmented two component reactive polymer  
based on epoxy resin

## The trump to renovate older feed alleys

- ➔ fills perfectly smaller unevennesses
- ➔ applicable up to concrete surface structure
- ➔ smoothes worn out feed alleys



Details for  
processing:  
[desical.de](http://desical.de)  
➔ agroCoating

# DESICAL<sup>®</sup> agroCoating Top-F

Pigmented two component reactive polymer  
based on epoxy resin

## The reliable coating for a new feed alley

- ➔ for new stables and smooth areas
- ➔ extremely smooth surfaces
- ➔ friendly to tongues



Smooth surfaces  
raise the feed intake!

Your cows can nearly  
reflect themselves ...



## The advantages speak for themselves:

- ➔ resistant to silo acids and chemicals
- ➔ easy application and safe handling
- ➔ tested for the suitability in the food sector
- ➔ perfectly adapted method for renovating older stables
- ➔ durable covering for clean fodder and healthy animals

### Development and Production:

P&T Technische Mörtel GmbH & Co. KG  
Bataverstr. 84 · 41462 Neuss  
[www.eurogrout.de](http://www.eurogrout.de)



Further Informations of the **DESICAL**® assortment:  
**[desical.de](http://desical.de)**

or call us:

**+49-(0)173-3755007** (Germany)

### Contact:

Keiran McPeake  
Northern Farm Supplies LTD  
54B Roguery Road  
BT413TJ ToomebridgeAntrim  
Great Britain